

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	22	("LIPSKY, BARRY" or "GOSZYK, KURT" or "SKLADANY, EDWARD" or "WINSKY, GREGORY" or "ELLIS, DUANE" or "EDLER, JAN").	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:32
L3	91	"FRANKLIN ELECTRONIC PUBLISHERS"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:32
L4	1	I3 and (((("portable" or "wireless" or "computer") with (device\$1 or system\$1 or unit\$1)) with ("USB" adj "port"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:35
L5	3	"6847948"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:35
L6	0	((deriv\$3 with ("unique" adj "encryption" adj "key")) with ("predetermined" adj "value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:37
L7	0	((deriv\$3 with ("unique" adj "encryption" adj "key")) with ((("predetermined" or "pre-determined") adj "value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:39
L8	2	((deriv\$3 with ("encryption" adj "key")) with ((("predetermined" or "pre-determined") adj "value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:39
L9	360	705/56	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:39
L10	1	I9 and ((deriv\$3 with ("encryption" adj "key")) with ((("predetermined" or "pre-determined") adj "value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:40
L11	1734	380/277	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:40
L13	1	I11 and ((deriv\$3 with ("encryption" adj "key")) with ((("predetermined" or "pre-determined") adj "value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:43

EAST Search History

L14	7734	705/1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:41
L15	1	l14 and ((deriv\$3 with ("encryption" adj "key"))) with (("predetermined" or "pre-determined") adj "value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:41
L16	87	((("encryption" adj "key") with (identif\$4 with "location"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:43
L17	1	l16 and ((deriv\$3 with ("encryption" adj "key"))) with (("predetermined" or "pre-determined") adj "value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:44
L18	70	l16 and (((encrypt\$3 or encod\$3) with ("data" or "information" or "content"))) with ((encrypt\$3 or encod\$3) adj "key"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:44
L19	5	l18 and (((("portable" or "wireless" or "computer") with (device\$1 or system\$1 or unit\$1)) with ("USB" adj "port"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/22 14:45

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

unique encryption key derived from predeterm

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)"from" is a very common word and was not included in your search. [\[details\]](#)

Patents

Patents 1 - 10 on unique encryption key derived from predetermined value. (0.43 seconds)

Method and apparatus for initialization of cryptographic terminal

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 5745576 - Filed May 17, 1996 - Visa International Service Association
This **encryption key** is applied to the serial number of the terminal at step 402 to
... said initial terminal **key derived** using said base **key** and said **unique** ...

Software-efficient pseudorandom function and the use thereof for encryption

US Pat. 5454039 - Filed Dec 6, 1993 - International Business Machines Corporation
The method as described in claim 6 wherein after the **value derived** from the other
... comprising: means for preprocessing an **encryption key** into a table of ...

Method and apparatus for secure distribution of software/data

US Pat. 6847948 - Filed Dec 20, 1999 - International Business Machines Corporation
In one embodiment, when the downloaded files run, the **encryption key** is re-derived
by combining the **predetermined value** and the client computer's **unique ID** ...

Multiple factor-based user identification and authentication

US Pat. 6845453 - Filed Jan 30, 2002 - Tecsec, Inc.
A **unique**, repeatable **value** can be **derived** from a password by using certain
algorithms such as, for example, the Public-Key Cryptographic Standards (PKCS) #5 ...

Method and apparatus for transaction and identity verification

US Pat. 4264782 - Filed Jun 29, 1979 - International Business Machines Corporation
J as the **key** input to the cryptographic device contained therein and means for
... and for supplying the true **value** of **_U** to said **encryption** device if said ...

Broadcast encryption

US Pat. 5592552 - Filed Sep 24, 1994 - Algorithmic Research Ltd.
Each user is given a **unique** serial number in the group that he belongs to, and
is given 8 ... The **key** and zero padding will be encrypted using a DBS **derived** ...

Method and apparatus for enabling trial period use of software products ...

US Pat. 5563946 - Filed Apr 25, 1994 - International Business Machines Corporation
Key 401 is also provided as an input to **encryption** engine 399. **Key** 401 is **derived**
from **unique** system attributes 403, such as those system attributes ...

Encryption key control system for mail processing system having data center ...

US Pat. 5878136 - Filed Oct 8, 1993 - Pitney Bowes Inc.
The PRB typically contains data such as the postage **value**, a **unique** FED identification
... said relationship being **derived** as a **predetermined** function ...

Tamper-resistant method for authorizing access to data between a host and a ...

US Pat. 4941175 - Filed Feb 24, 1989 - International Business Machines Corporation

In the lock and **key** modality, each object $O(j)$ in- 50 eludes a **unique** ...
Relatedly, the **encryption key**. is a function of the host identity and an offset. ...

Generating **unique** and unpredictable values

US Pat. 6078667 - Filed Oct 10, 1996 - Certicom Corp.

5 Public **key encryption** systems utilize a private **key** and a public **key** to ...

This exponentiation ensures that the private **key** cannot be **derived** from the ...

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

unique encryption key derived from predeterm	Search Patents
--	----------------

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

unique encryption key that identified authorize

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)The following words are very common and were not included in your search: **that for**. [\[details\]](#)**Patents** Patents 1 - 10 on **unique encryption key that identified authorized location for storing database**. (0.21 seconds)**Encryption key management system and method** [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 6157722 - Filed Mar 23, 1998 - Interlok Technologies, LLC

As previously indicated, the host device will comprise a **database** containing a sequence of fields **storing** transaction specific codes. ...**Communications system for transferring information between memories ...**

US Pat. 6044205 - Filed Feb 29, 1996 - Intermind Corporation

The system ID **database** contains any number of **unique** system IDs. ... This could be a password, **encryption key**, or any similar value. ...**Electronic identifiers for network terminal devices**

US Pat. 6005943 - Filed Oct 29, 1996 - Lucent Technologies Inc.

A public **key** for the two-**key encryption/** decryption scheme is calculated from the ... The **unique** public **key** is stored in a **database** accessible by the data ...**System and method for accessing enterprise-wide resources by presenting to ...**

US Pat. 6055637 - Filed Sep 27, 1996 - Electronic Data Systems Corporation

Each subject is preferably **identified** by a **unique** identifier, which is used as a **key** for accessing subject information. Subject information may include ...**Method for adaptively switching between PCS authentication schemes**

US Pat. 5615267 - Filed Jul 17, 1995 - Bell Communications Research, Inc.

This **database** is known as the Home **Location** Register (HLR) 24. As the customer travels to different RAs, ie, ... and a signal message **encryption key** SMEKEY. ...**Method and system for normalizing biometric variations to authenticate users ...**

US Pat. 6038315 - Filed Mar 17, 1997 - The Regents of the University of California

Prior art methods used Conventional Diffie-Hellman public **key encryption** are based on a ... Then during tion and to secure me **database** of **authorized** users. ...**Portable authentication device and method using iris patterns**

US Pat. 6532298 - Filed Sep 14, 1999 - Iridian Technologies, Inc.

If a user is **identified/**authenticated, access to the vehicle or asset is granted, ... the record just received) to the **database** of **authorized** users. ...**Controlling and tracking access to disseminated information**

US Pat. 6625734 - Filed Apr 26, 1999 - Disappearing, Inc.

35 After generating and **storing** the **unique** message ID and **unique key**, ... Any type of **encryption** may be used to generate 40 the encrypted message, ...**Method and apparatus for feature configuration in remotely located ...**

US Pat. 6246770 - Filed Apr 23, 1998 - General Electric Company

Service personnel at the central **location** then run a **key maker** ... **encryption** engine

to transform those vectors (by multiplying each vector with a ...

System and method for secure storage, transfer and retrieval of content ...

US Pat. 6976165 - Filed Sep 7, 1999 - EMC Corporation

Further, by using the intrinsic **unique** identifier to serve as the **encryption key**
for the file as well, 10 this single identifier not only serves to ...

Google ►

Result Page: 1 2 **Next**

unique encryption key that identified authorize Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

unique encryption key that identified authorize

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)The following words are very common and were not included in your search: **that for**. [\[details\]](#)**Patents** Patents 11 - 13 on unique encryption key that identified authorized location for storing database. (0.03 seconds)Quantum dot security device and method[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 6692031 - Filed Sep 18, 2001

Instead of using a **database** which could require an entire communications ...
using the fluorescence pattern as the **key** in a public-key **encryption** 55 scheme, ...User rewards program and associated communications system

US Pat. 7103573 - Filed Apr 2, 2002 - PrivilegeOne Networks, LLC

The HASP **key** 200 identifies the vendor, vendor **location**, department, and even
exact computer on which the HASP is installed and present. This **unique** ...System and method for remote postage metering

US Pat. 6249777 - Filed Jul 15, 1998 - E-Stamp Corporation

A **database** of current postal addresses may be maintained at the remote meter site
and ... may include an **encryption** module utilizing cryptographic **key** sets, ...Result Page: [Previous](#) [1](#) [2](#)

unique encryption key that identified authorize

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google